

Indiana Department of Natural Resources / Division of Water

30 Day Public Notice Report

The Department of Natural Resources is providing this report to satisfy the requirements of the "Procedures Concerning Certain Licenses Act", IC 14-11-4, and its associated administrative rule, 312 IAC 2-3. The application files are available for public inspection at the Division of Water's office in Indianapolis. Please contact the Division's Technical Services Section at (317) 232-4160 or the toll free number 1-877-928-3755 to make an appointment for file review. Photocopies may be made for a nominal charge of \$0.10 per 8 1/2 " X 11" copy.

A pre-action public hearing on an application may be requested by filing a written petition with the Director, Division of Water:

Michael W. Neyer, P.E., Director
Division of Water
Room W264
402 West Washington Street
Indianapolis, Indiana 46204

For a petition to be considered valid it must:

1. Contain the typed or legibly printed name and complete mailing address of each petitioner;
2. Be signed by a minimum of 25 individuals who are at least 18 years old and either reside in the county where the project will take place or own real property within 1 mile of the project site;
3. Affirm that each signatory to the petition satisfies the requirements of item 2; and
4. Identify the application for which the public hearing is being requested either by the application # or the applicant's name and the project description.

A petition which does not meet these requirements will be considered invalid and the hearing request will not be granted.

A person may request that the Department provide written notice of its action on an application by filing a written request with:

Division of Water
Room W264
402 West Washington Street
Indianapolis, Indiana 46204

The request must identify the application by either the application # or the applicant's name and the project description.

Indiana Department of Natural Resources / Division of Water

30 Day Public Notice Report

- Application # : FW-25069
- Stream : Unnamed Tributary West
Fork White River
- Applicant : *Indiana Department of Transportation
Richard L Phillabaum
100 North Senate Avenue, Room N642
Indianapolis, IN 46204-2216
- Description : The existing 30' span reinforced concrete arch bridge carrying a US 231 over Unnamed Tributary of the West Fork White River will be replaced with a new 28' span structure on essentially the same alignment to improve traffic flow. The new structure will be skewed 7 degrees to align with stream flow. The existing horizontal and vertical alignments of US 231 will be maintained. This is a part of the 5th street realignment; the 5th street bridge will be abandoned. The existing structure will be completely removed. Details of the project are contained in information and plans received at the Division of Water on November 7, 2008, December 16, 2008, December 19, 2008 and January 14, 2009.
- Location : At the US 231 stream crossing
near Spencer, Washington Township, Owen County
NW $\frac{1}{4}$, SW $\frac{1}{4}$, SW $\frac{1}{4}$, Section 20, T 10N, R 3W, Spencer Quadrangle
Quad Code: 3908637
UTM Coordinates: Downstream 4348541 North, 519503 East
- Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312 IAC 10

Indiana Department of Natural Resources / Division of Water

30 Day Public Notice Report

- Application # : FW-25099
- Stream : West Fork White River
- Applicant : Rural Route Land Trust
Matthew R Cornelius
204 West Main Street
Odon, IN 47562-1218
- Description : Approximately 1250' of an existing, flood damaged, agricultural levee along the (south) bank of White River will be repaired to its original condition. Details of the project are contained in information received electronically at the Division of Water on December 2, 2008 and in plans and information received at the Division of Water on December 3, 2008.
- Location : Along the south (left) bank, beginning approximately 400' downstream of the confluence of First Creek and continuing downstream 1,250'
DOWNSTREAM: near Newberry, Cass Township, Greene County
NE¼, Section 27, T 6N, R 6W, Lyons Quadrangle
Quad Code: 3808781
UTM Coordinates: Downstream 4308845 North, 494592 East
UPSTREAM:
UTM Coordinates: Upstream 4308848 North, 494998 East
- Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312 IAC 10

Indiana Department of Natural Resources / Division of Water

30 Day Public Notice Report

Application # : FW-25116

Stream : Unnamed Tributary
Greenwood Lake

Applicant : Crane NSWC
James Hunsicker
300 Highway 61, Building 3260, Code 0592
Crane, IN 47522-5001

Description : An existing shooting range will be expanded by regrading an area along the stream. Details of the project are contained in information and plans received at the Division of Water on December 17, 2008.

Location : Between 500' upstream of the confluence with Lake Greenwood and extending approximately 3500' east and 1600' north
near Crane, Perry Township, Martin County
NW¼, SW¼, NW¼, Section 2, T 5N, R 4W, Koleen Quadrangle
Quad Code: 3808687
UTM Coordinates: Downstream 4305695 North, 514650 East

Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312 IAC 10

Application # : FW-25117

Stream : Turkey Creek

Applicant : Indiana American Water
Edward Nickels
650 Madison Street
Gary, IN 46401-2254

Description : A 30" diameter water line will be placed beneath Turkey Creek. The line will be placed by the directional bore method. It will have 4' of cover beneath the streambed and 5' cover in the banks. Details of the project are contained in information and plans received at the Division of Water on December 18, 2008.

Location : Approximately 15' upstream (west) of the State Road 55 stream crossing near Merrillville, Ross Township, Lake County
NE¼, NE¼, SW¼, Section 8, T 35N, R 8W, Crown Point Quadrangle
Quad Code: 4108743
UTM Coordinates: Downstream 4594191 North, 469519 East

Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312 IAC 10

Indiana Department of Natural Resources / Division of Water

30 Day Public Notice Report

Application # : FW-25118

Stream : Wabash River

Applicant : Huntington Park and Recreation Department
Denise Bard
1205 West Park Drive
Huntington, IN 46750

Description : Approximately 1600' long by 8' wide paved pedestrian trail with 2' side shoulders with a 2% maximum side slope will be constructed in the floodway of the Wabash River. Details of the project are contained in information and plans received at the Division of Water on December 19, 2008.

Location : Beginning approximately 750' upstream along the right (north) overbank of the State Highway 9 stream crossing and extending approximately 1600' downstream along the right (north) overbank

Located along the right overbank of the State Highway 9 stream crossing extending approximately 650' downstream and approximately 850' upstream
DOWNSTREAM: near Huntington, Huntington County
S½, T 28N, R 9E, Bippus Quadrangle
Quad Code: 4008585
UTM Coordinates: Downstream 4526194 North, 623508 East
UPSTREAM: Huntington County

Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312 IAC 10

Indiana Department of Natural Resources / Division of Water

30 Day Public Notice Report

Application # : FW-25120

Stream : Turman Creek

Applicant : *Indiana Department of Transportation
Richard L Phillabaum
100 North Senate Avenue, Room N642
Indianapolis, IN 46204-2216

Description : The existing 125' single span steel pony truss bridge will be cleaned and painted. The concrete approach slabs will be replaced and a new bridge deck surface will be installed. In addition, minor concrete patching to the abutments and curbs will be performed. Riprap will be placed on the existing spill slopes for approximately 140' along the west bank and approximately 110' along the east bank. The existing channel will not be reshaped or realigned. Details of the project are contained in information and plans received at the Division of Water on December 23, 2008.

Location : At the State Road 154 stream crossing
near Vincennes, Turman Township, Sullivan County
NW¼, NE¼, SE¼, Section 23, T 8N, R 11W, Merom, IL-IN Quadrangle
Quad Code: 3908715
UTM Coordinates: Downstream 4330333 North, 448579 East

Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312
IAC 10

Indiana Department of Natural Resources / Division of Water

30 Day Public Notice Report

- Application # : FW-25121
- Stream : George Creek
- Applicant : Town of Plainfield
Timothy A Belcher
206 West Main Street
Plainfield, IN 46168-2525
- Description : A 4560' long, 8' wide paved pedestrian trail will be constructed adjacent to the stream. Pavement thickness will vary between 6" and 12". In addition to the trail, 3 culverts will be installed under the trail to facilitate drainage. Details of the project are contained in information and plans received at the Division of Water on December 29, 2008.
- Location : Beginning approximately 425' north of the intersection of SR 267 and Stafford Road (County Road 450 South) and extending 4560' northeast along George Creek
DOWNSTREAM: near Plainfield, Guilford Township, Hendricks County
Section 36, T 15N, R 1E, Bridgeport Quadrangle
Quad Code: 3908663
UTM Coordinates: Downstream 4394425 North, 553936 East
UPSTREAM:
UTM Coordinates: Upstream 4395016 North, 554501 East
- Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312 IAC 10

Indiana Department of Natural Resources / Division of Water

30 Day Public Notice Report

Application # : FW-25122

Stream : St. Joseph River

Applicant : St. Joseph County
Jessica Clark, PE
227 West Jefferson Boulevard, Room 732
South Bend, IN 46601-1380

City of Mishawaka
Kenneth B Prince
600 East Third Street
Mishawaka, IN 46544-0363

Description : The existing bridge carrying Mishawaka Avenue over the St. Joseph River will be rehabilitated. The existing structure is a four span, reinforced concrete, earth filled, arch bridge with spans of 93' 11", 101' 0", 101' 0", and 93' 2" and a clear roadway width of 30'. The abutments have a zero degree skew to align with the flow. Also, a new precast reinforced concrete, arch tunnel, 55' long by 24' wide, will be constructed under the Mishawaka Avenue bridge to connect vehicle traffic to the north and south portions of Merrifield Park. Also, a 1500' pedestrian trail will be added to the park. The trail will be 10' wide and made of concrete. Also, the south parking lot for the park will be reconstructed along with associated landscaping is proposed. Specific project information will be added to the description as the application is further reviewed. Details of the project are contained in information and plans received at the Division of Water on January 2, 2009 and January 14, 2009.

Location : At the Mishawaka Avenue stream crossing, including the right (east) overbank beginning approximately 300' north and extending approximately 800' south
DOWNSTREAM: near Mishawaka, St. Joseph County
Section 10, T 37N, R 3E, South Bend East Quadrangle
Quad Code: 4108662

UTM Coordinates: Downstream 4613173 North, 569370 East

UPSTREAM: St. Joseph County

UTM Coordinates: Upstream 4612936 North, 569364 East

Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312 IAC 10

Indiana Department of Natural Resources / Division of Water

30 Day Public Notice Report

Application # : FW-25125

Stream : Carmel Creek

Applicant : *Indiana Department of Transportation
Rick Phillabaum
100 North Senate
Room 642
Indianapolis, IN 46204-2216

Description : The existing 2 span continuous steel beam bridges on 1-465 over Carmel Creek are to be repaired and widened. Both the eastbound and westbound structures will be widened from 54.5' to 89.42'. New beam lines will be added on both sides of each structure. The low structure elevation will be lowered to an elevation of 737.5'. The waterway opening will not change. The existing bridge deck and bridge railing will be removed and replaced. The existing end bents will be reconstructed and widened to accommodate the widened superstructure. The existing piers will be widened to accommodate the widening superstructure. Revetment riprap over geotextiles is being placed on the spillslopes and stream banks to prevent erosion. New approach slabs and approach guardrail is being placed. Details of the project are contained in information and plans received at the Division of Water on January 8, 2009.

Location : at the 1-465 stream crossing
near Indianapolis, Washington Township, Marion County
SE¼, NW¼, SE¼, Section 17, T 17N, R 4E, Fishers Quadrangle
Quad Code: 3908681
UTM Coordinates: Downstream 4418886 North, 577291 East

Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312 IAC 10

Indiana Department of Natural Resources / Division of Water

30 Day Public Notice Report

Application # : FW-25126

Stream : White River

Applicant : *Indiana Department of Transportation
Rick Phillabaum
100 North Senate
Room 642
Indianapolis, IN 46204-2216

Description : The existing 6 span continuous steel girder bridges on 1-465 over White River are to be repaired and widened. Both the eastbound and westbound structures will be widened from 48.5' to 90.38'. New girder lines will be added on both sides of each structure. The low structure elevation will be lowered to an elevation of 740.95'. The waterway opening will not change. The existing bridge deck will be removed and replaced. The existing end bents will be reconstructed and widened to accommodate the widened superstructure. The existing piers will be widened to accommodate the widening superstructure. Riprap over geotextiles is being placed on the spillslopes and stream banks to prevent erosion. New approach slabs and approach guardrail is being placed. Details of the project are contained in information and plans received at the Division of Water on January 8, 2009.

Location : at the 1-465 river crossing
near Indianapolis, Washington Township, Marion County
SE¼, SE¼, NE¼, Section 17, T 17N, R 4E, Fishers Quadrangle
Quad Code: 3908681
UTM Coordinates: Downstream 4418713 North, 577767 East

Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312 IAC 10

Indiana Department of Natural Resources / Division of Water

30 Day Public Notice Report

- Application # : FW-25128
- Stream : St. Marys River
- Applicant : *Division of Fish & Wildlife
Gregg McCollam
402 West Washington Street, Room W273
Indianapolis, IN 46204-2781
- Description : An 8' wide by 75' long concrete boat ramp will be constructed at Kekionga Lake, approximately 200' southwest of the St. Marys River, to provide lake access. The ramp will extend approximately 15' lakeward of, and will conform to, the lake's legal shoreline. A 60' wide by 100' long stone parking lot will be constructed northwest of the canoe launch ramp. Details of the project are contained in information and plans received at the Division of Water on January 12, 2009.
- Location : Approximately 850' east of the US Highway 33 and the Angus Drive intersection near Decatur, Washington Township, Adams County
NW¼, NW¼, NE¼, Section 11, T 27N, R 14E, Decatur Quadrangle
Quad Code: 4008478
UTM Coordinates: Downstream 4520649 North, 676469 East
- Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312 IAC 10

Indiana Department of Natural Resources / Division of Water

30 Day Public Notice Report

- Application # : FW-25133
- Stream : Ohio River
- Applicant : Norman Wooten Incorporated
John "Jack" P. Reisz
3732 Utica Pike
Jeffersonville, IN 47130-8476
- Description : The applicant is seeking authorization to mechanically dredge an area 15' x 200' to an average depth of 4' removing approximately 500 cubic yards of material, discharge approximately 70 tons of riprap at the toe of the riverbank and perform maintenance dredging for a period of 5 years at the Norman Wooten, Incorporated Office Barge on the Ohio River at River Mile 598.7 (right bank). The proposed activity would be conducted on an as needed basis and would include no more than 500 cubic yards of mechanically dredged material per year. No material will be discharged into any streams or wetlands. All dredged material will be disposed of at an existing upland disposal site. Details of the project are contained in information received electronically at the Division of Water on January 15, 2009 and in plans and information received at the Division of Water on
- Location : Along the right bank (mouth) of the Ohio River at a point 0.8 miles Southwest of the intersection of Utica Pike and Port Road on River 0.3 miles along a drive South of Utica Pike
at Jeffersonville, Jeffersonville Township, Clark County
Clark Military Grant #5, Jeffersonville, IN-KY Quadrangle
Quad Code: 3808536
- Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312 IAC 10

Indiana Department of Natural Resources / Division of Water
30 Day Public Notice Report

Application # : PL-21212

Lake : Lake Wawasee

Applicant : RTT Investments
Fred Steffen
909 South Huntington Street
Syracuse, IN 46567-1923

Description : A concrete seawall will be refaced with a 12" layer of concrete across 130' of the applicant's 130' frontage. The reface layer will be keyed to the wall's lakeward face. Stone will be added for toe protection. Details of the project are contained in information and plans received at the Division of Water on December 19, 2008.

Location : Ogden Island Road pier #20

near Syracuse, Turkey Creek Township, Kosciusko County
NE¼, SW¼, SE¼, Section 10, T 34N, R 7E, Lake Wawasee Quadrangle
Quad Code: 4108546

Statute/Rule : Lakes Preservation Act, IC 14-26-2, with the associated Public Freshwater Lake Rule, 312 IAC 11

Indiana Department of Natural Resources / Division of Water

30 Day Public Notice Report

- Application # : PL-21214
- Lake : Cedar Lake
- Applicant : Paradise Cove LLC
Jason Weisler
1000 East 80th Place, Suite 700 North
Merrillville, IN 46410-5676
- Description : Two temporary aluminum and fiberglass piers will replace three existing dilapidated wooden pier structures. The new piers will consist of a 6' wide aluminum structural frame covered with a fiberglass deck and will be supported by 2" by 2" aluminum poles set on the bottom of the lake using manually operated tools. The new piers will extend 200' to the west from the shoreline and will connect the proposed Paradise Cove inner harbor to Cedar Lake. In addition, two existing concrete commercial boat launch ramps will be removed. Details of the project are contained in information and plans received at the Division of Water on December 31, 2008.
- Location : Along the east shoreline of Cedar Lake approximately 100' northeast of Binyon Road
near Cedar Lake, Center Township, Lake County
NE¼, SW¼, SW¼, Section 26, T 34N, R 9W, Lowell Quadrangle
Quad Code: 4108734
UTM Coordinates: Downstream 4579539 North, 464317 East
- Statute/Rule : Lakes Preservation Act, IC 14-26-2, with the associated Public Freshwater Lake Rule, 312 IAC 11

Indiana Department of Natural Resources / Division of Water

30 Day Public Notice Report

Application # : PL-21221

Lake : Waldron Lake

Applicant : West Lakes Conservation Inc
Dave Wick
0781 East Willow Lane
Wawaka, IN 46794-9661

Description : An approximate 800' by 30' area of an existing channel will be restored to its original condition by dredging to a maximum of 5' below the legal lake level. The dredging will be performed by hydraulic pumping. The excavated material will be transported to an upland detention area where it will be dewatered before being transported to an offsite disposal area. Adequate detention time will be provided to allow suspended sediments to settle out of the decanted water before returning the water to the lake. This project was previously approved under DNR# PL-20584. Details of the project are contained in information and plans received at the Division of Water on January 9, 2009.

Location : Channel between Waldron Lake and Jones Lake; beginning approximately 300' south of the County Road 1050 crossing and extending upstream (north) approximately 800'
near Rome City, Orange Township, Noble County
NE¼, SW¼, SE¼, Section 12, T 35N, R 9E, Albion Quadrangle
Quad Code: 4108544
UTM Coordinates: Downstream 4595416 North, 631363 East

Statute/Rule : Lakes Preservation Act, IC 14-26-2, with the associated Public Freshwater Lake Rule, 312 IAC 11

Indiana Department of Natural Resources / Division of Water

30 Day Public Notice Report

- Application # : PL-21222
- Lake : Dallas Lake
- Applicant : Matt and Angiela J Miller
0150 W 590 S
Wolcottville, IN 46795-9923
- Description : A new seawall will be constructed across 120' of the 120' frontage of the applicants shoreline along Dallas Lake in Dallas Bay channel to deter shoreline erosion. The wall will consist of reinforced, poured in place concrete which will be sloped on the lakeward side. It will be 40" high and will vary uniformly in thickness from 30" to 12" from the base to the top. The lakeward face of the wall will be at the lakes normal shoreline. A 12" wide layer of glacial stone placed at the base of the wall for toe protection. Details of the project are contained in information received electronically at the Division of Water on January 12, 2009 and in plans and information received at the Division of Water on
- Location : 0150 W 590 S, off of Dallas Lake in the Dallas Bay Channel.
near Wolcottville, Springfield Township, LaGrange County
- Statute/Rule : Lakes Preservation Act, IC 14-26-2, with the associated Public Freshwater Lake Rule, 312 IAC 11